

DRAWMER 1973



Three Band FET Stereo Compressor.

The award winning 1973 is a multi-band compressor with the versatility, control and ability to shape sound that no full band compressor could ever provide and at an affordable price.



Cena: \$0,00

Kategorie: [Audio](#), [Procesory analogowe](#)

GALLERY IMAGES



OPIS

Expanding on the renowned range of dynamics processors Drawmer introduce an affordable Three Band Stereo FET Compressor that every engineer will completely appreciate - the 1973. The culmination of 30 years of development and experience, the 1973 combines the functionality and control of the world class Drawmer S3 with the familiarity and quality of the illustrious 1960 and 1968, providing three bands of transparent, intuitive compression for the price of a conventional single full band compressor.

How does the 1973 differ from a full band compressor?

In essence, the 1973 comprises a set of crossover filters that splits the audio signal into three frequency bands, each split signal then passes through its own compressor and is independently adjusted, after which the signals are recombined and the final Wet/Dry mix and levels can be adjusted. The advantage is that one band's compression has no affect on the others.

What's so good about a three band compressor anyway?

The 1973 can pull off amazing feats that a single-band compressor could never accomplish. For example, it can easily prevent an acoustic guitar, cello, or double bass from sounding boomy on low notes without thinning the highs.

Are you recording a vocal track that sounds too shrill? The timbre can easily be altered without eliminating detail and clarity. Adding heavier compression in the bass band can add to the thickness and richness of the voice, in the mid band raspiness is controlled, whilst compression to the high band can give sizzle and definition to an otherwise bland voice. In addition, sibilance can easily be tamed.

In a mastering situation, having independent control over each band can resolve a problem mix, pulling out individual instruments, brightening the brilliance/air or making the bottom end of a mix sound huge while simultaneously avoiding "pumping" or "breathing" artifacts and increasing headroom.

Features:

- Standard intuitive controls such as Threshold, Gain, Switched Attack & Release with Gain Reduction Metering on Each Band.

- Fast Reacting Soft Knee F.E.T. Design with excellent Left/Right Tracking across the Full Range of compression.
- Variable Wet/Dry Mix plus Output Gain Knobs give a 'Parallel Compression' function without the need for external mixing devices, providing Complete and Effortless Control over the amount of compression used and Output Levels.
- Variable Band Split Filters at a 6dB Per Octave slope with Switch-able Mute and Bypass on Each Band make 'Tuning In' to a Frequency Simple.
- 'Big' and 'Air' Modes Help to preserve the Very Deep Lows and Enhance the Sparkling Highs.
- Two Analogue V.U. Meters with Switchable +10dB Meter Rescale Modes and a Switchable 'Peak' mode to Display Fast Transients Not Normally Seen on Conventional V.U.s.
- Dedicated Gain Reduction Meters On Each Band.
- Internal Low Hum Toroidal Linear Power Supply with Voltage Selector Switch.
- Classic Drawmer Build Quality with Rugged Steel Chassis and Aluminium Front Panel.

Intuitive layout

Multiband compressors can be intimidating and difficult to use due to the number of controls and poor lay out, with this in mind, the 1973 has been designed to be as simple, familiar and intuitive as possible whilst still giving complete control over the audio.

The front panel consists of three near identical compressor bands, flowing left to right, with the Variable Crossover Frequency knobs seperating them. To the right are the large, illuminated V.U. Meters, with Output controls underneath.

Mix Control - Pricisely Control the Amount of Compression Applied!

Incorporated into the 1973 is the 'Mix' Control. This acts like a 'parallel compression' effect that mixes the Wet (compressed) and Dry (original) signals to provide a simple and exact way of controlling the amount of compression used - all with the turn of a single knob.

One criticism of multiband compression is that it is possible to take the effect too far and ruin a mix - this is easily prevented with the 1973 by the use of the Mix control just by mixing in less of the wet signal and more dry. By the same token, the mix control can add more compression simply by adding more of the wet signal. It's that simple!

