

AZDEN SGM-1X



The SGM-1X Professional Shotgun Microphone is designed to provide quality audio for the videographer. Suitable for both camera-mount and boom mic applications, this hyper-directional, super-cardioid shotgun microphone has a wide frequency response, exhibits low noise and accepts up to 120dB SPL input levels. The 12.3" long microphone uses a single "AAA" battery that will last for over 1000 hours of use due to the mic's extremely low current drain. The low-impedance XLR output allows for a balanced (low-noise) connection to cameras and mixers. The SGM-1X ships complete with a windscreens and Azden's proprietary shock-mount holder that isolates the microphone from camera motor noise and extraneous vibrations. The shock-mount holder has provisions for both camera-shoe and mic-stand mounting.



Cena: 0,00 zł

Kategorie: [Video](#), [Audio dla filmowców](#)



GALLERY IMAGES



OPIS

Features

- Handcrafted in Japan
- Super Cardioid pick-up pattern
- 12.3" in length
- Powered by single AAA battery
- Up to 1000 hours of battery life
- XLR output connection
- Wide frequency response
- High max SPL at 110dB
- Comes with SMH-1 shock mount

- 2-Year Warranty

In the box

- SGM-1X Microphone
- Shock mount mic holder with extra support bands
- Windscreen
- Zippered Carry Case
- Manual

Specyfikacja

- Mic Element: Electret Condenser
- Frequency Response: 80-18,000Hz
- Sensitivity: -41dB re 1V/Pa
- Directional Pattern: Super Cardioid
- Impedance: 130 Ohms @ 1Khz
- Max. SPL Input Level: 120dB
- Signal to Noise Ratio: 70dB
- Dynamic Range: 80dB
- Battery Type: AAA (1.5V) - use Alkaline battery
- Battery Current: 0.2mA
- Battery Life: 1000 Hours w/ Alkaline Battery
- Weight w/o Battery: 135g (4.76 oz)
- Dimensions: Ø 21mm X 312mm (0.83" X 12.3")
- Output Type: 3-Pin XLR type