

## ATEM CAMERA CONTROL PANEL



The new ATEM 1 M/E Advanced Panel is an elegantly designed professional hardware control panel for all ATEM switchers. It combines modern design with the latest broadcast technology for faster workflows. The new design features a built in LCD and high quality curved buttons that help reduce incorrect key presses. The buttons also have color backlighting to help you quickly recognize important keys. You also get a professional joystick for DVE and camera adjustments, smooth weighted t-bar fader and much more. The buttons feature dynamic displays that allow full customization of the labels as well as custom colors. The shift buttons allow you to double up the number of inputs by selecting a second set of shifted source buttons so you can control up to 20 inputs. The compact size and durable design of the ATEM 1 M/E Advanced Panel fits in a standard equipment rack, making it perfect for shelf mounting in broadcast trucks, mobile racks and fly away kits.

**Cena:**

**Kategorie:** [Video](#), [Produkcja](#), [Miksery wizyjne](#), [Broadcast](#), [Miksery wizyjne](#)



## OPIS

### Connections

#### Ethernet

2 x 10/100/1000 BaseT with loop output for additional control panels or computers.

#### Software Updates

1 x USB-C for firmware updates.

### Product Specifics

#### LCD Menu Displays

4

#### Camera Number Display

Green off air, red on air.

## **Setup**

White and black balance setup.

## **3 Axis Joystick**

4

## **Preview Button**

4

## **Iris Control**

Auto Iris On, Coarse control.

## **Panel Active**

Protects settings.

## **Software**

### **Software Applications**

ATEM Software Control Panel.

## **Operating Systems**

Mac 10.14 Mojave,  
Mac 10.15 Catalina or later.  
Windows 8.1 and 10.

## **Power Requirements**

### **Input Voltage**

1 x Internal 100 - 240V AC.

## **DC Power**

12-30V 3A.

## **Redundant Power**

Yes

## **Power Usage**

30W

## **Physical Specifications**

### **Environmental Specifications**

#### **Operating Temperature**

0° to 40° C (32° to 104° F)

#### **Storage Temperature**

-20° to 60° C (-4° to 140° F)

#### **Relative Humidity**

Up to 95%

## **What's Included**

ATEM Camera Control Panel

## **Warranty**

12 Month Limited Manufacturer's Warranty.

