


BLACKMAGIC MULTIDOCK 10G

Blackmagicdesign




Advanced SSD dock with 4 separate SSDs that can be accessed via a single high speed 10 Gb/s USB-C connection. Specifically designed for the film and television industry, Blackmagic MultiDock 10G features a rack mount design with an independent SATA driver chip on each disk to ensure fast data transfer speeds. Can be connected directly to computers for editing directly from media disks and also used with HyperDeck Extreme 8K HDR for recording and playback.



Cena:

Kategorie: [Video](#), [Produkcja](#), [Rejestratory Video](#), [Broadcast](#), [Rejestratory Video](#)

GALLERY IMAGES



OPIS

Connections

SSD Interface

4 x 2.5" SATA 3 6Gb/s.

Computer Interface

2 x USB-C 3.1 Gen 2 (up to 10Gb/s)

Power Requirements

Power Supply

1 x Internal 100 - 240 AC.

Physical Specifications

Operating Systems

Mac 10.14 Mojave,
Mac 10.15 Catalina or later.
Windows 8.1 and 10.

Environmental Specifications

Operating Temperature

0° to 40° C (32°to 104° F)

Storage Temperature

-20 to 45° C (-4° to 113° F)

Relative Humidity

0% to 90% non-condensing

What's Included

Blackmagic MultiDock 10G

SD card with user manual.

Warranty

12 Month Limited Manufacturer's Warranty.